

ARIZONA DEPARTMENT OF WATER RESOURCES

Office of Assured and Adequate Water Supply

3550 North Central Avenue, Phoenix, Arizona 85012

Telephone 602 771-8500

Fax 602 771-8689



Janet Napolitano
Governor

Herbert R. Guenther
Director

April 19, 2007

Mr. Roy Tanney
Arizona Department of Real Estate
2910 N. 44th Street
Phoenix, Arizona 85018

Water Report #53-700289.0000

Subdivision Name: Gateway Acres, Tract One

Lots: 2, 5-17, 19-24, 26-44, 48, 52, 56, 57, 61-63, 65-90, 92-101, 104, 105, 108-110, 113-117, 119-122, 124-139, 142-157, 159-169, 173-180, 184-194, 197-208, 212-233, 238-282.

Owner: Mohave Development I Company LLC,
A Michigan limited liability company

Number of lots: 237

County: Mohave

Township 25 North, Range 20 West, Section 5

Water provided by: Dry lot, individual wells

Water Type: Groundwater

Current water depth: No Information provided

Est. 100-year depth: No Information provided

Current decline rate: No Information provided

Basin: Detrital Valley

Dear Mr. Tanney:

Pursuant to A.R.S. § 45-108, the Department of Water Resources has reviewed the available information pertaining to the water supply for the above-referenced subdivision. This letter constitutes the Department's report on the subdivisions water supply as required by A.R.S. § 45-108(A).

Adequacy of the 100-year water supply was reviewed by the Department with regard to physical, legal and continuous availability, water quality, and financial capability. No information has been provided to the Department that indicates that the applicant has satisfied the adequate water supply requirements as set forth in A.A.C. R12-15-701 *et seq.* Therefore, the Department of Water Resources finds the water supply to be inadequate to meet the subdivision's projected needs.

Pursuant to A.R.S. §32-2181(F) a summary of the Department's report for those with an inadequate water supply be included in all promotional material and contracts for sale of lots in the subdivisions. We suggest the following synopsis:


"Gateway Acres, Tract One subdivision, Lots: 2, 5-17, 19-24, 26-44, 48, 52, 56, 57, 61-63, 65-90, 92-101, 104, 105, 108-110, 113-117, 119-122, 124-139, 142-157, 159-169, 173-180, 184-194, 197-208, 212-233, 238-282 are being served groundwater by individual wells. The developer has chosen not to demonstrate a 100-year adequate water supply. The applicant has not demonstrated that the criteria for physical, legal and continuous availability, water quality, and financial capability. Therefore the Department must find the water supply to be inadequate. For additional information please contact Richard Obenshain, of the Office of Assured and Adequate Water Supply at (602) 771-8585."

The developer, pursuant to A.R.S. §32-2181(F), may suggest a different summary of this report, but it must contain the above elements and/or the Department's findings.

Pg. 2
April 19, 2007
Water Report
Gateway Acres, Tract One subdivision

This letter is being forwarded to your office as required by A.R.S. § 45-108. This law requires the developer to hold the recordation of the subdivision's plat until receipt of the Department's report on the subdivision's water supply. By copy of this report, the Mohave County Recorder is being officially notified of the developer's compliance with the law.

Sincerely,

A handwritten signature in black ink, reading "Sandra Fabritz-Whitney". The signature is fluid and cursive, with the first name "Sandra" being the most prominent.

Sandra Fabritz-Whitney
Assistant Director
Water Management Division

cc: Mohave County Planning and Zoning
Mohave County Recorder
Carol Stockwell
Richard Obenshain, Office of Assured and Adequate Water Supply